



# Declaration of Performance

DoP-CPR- 17-3448/1

<b>1. Unique identification code of the product, product type or product family:</b> <b>Collection:</b> Spectra <b>Type:</b> 04  <b>Designs:</b> Parquet, Cannage, Caisson <b>References:</b> 61500-61504, 61520-61524, 61530-61534																																				
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label																																				
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>																																				
<b>4. Name and contact address of the manufacturer:</b> Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com																																				
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable																																				
<b>6. System of assessment and verification of constancy of performance:</b> System 3																																				
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  Certification report Centexbel : 19/211																																				
<b>8. Declared performance:</b> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Essential Characteristic</th> <th>Performance</th> <th>Harmonised technical specification</th> <th>Essential Characteristic</th> <th>Performance</th> <th>Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td><b>B-S1,d0</b></td> <td rowspan="8" style="text-align: center;">EN 15102:2007 A1:2011</td> <td>Release of vinyl chloride monomer EN 12149-B</td> <td>&lt; 0.2 mg/kg</td> <td rowspan="8" style="text-align: center;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td>&lt; 120 mg / kg</td> <td>Sound absorption ISO 354</td> <td>NPD</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony</td> <td>&lt; 0.1 mg/kg</td> <td rowspan="6">Thermal resistance "EN 12524" or "EN12667"</td> <td rowspan="6">NPD</td> </tr> <tr> <td>Arcenic</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Barium</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Cadmium</td> <td>&lt; 0.3 mg/kg</td> </tr> <tr> <td>Chromium</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Selenium</td> <td>&lt; 1.0 mg/kg</td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	Sound absorption ISO 354	NPD	Release of heavy metals (EN 12149-A)	Anitimony	< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Arcenic	< 0.1 mg/kg	Barium	< 0.1 mg/kg	Cadmium	< 0.3 mg/kg	Chromium	< 0.1 mg/kg	Selenium	< 1.0 mg/kg
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																															
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																															
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD																																
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD																														
	Arcenic		< 0.1 mg/kg																																	
	Barium		< 0.1 mg/kg																																	
	Cadmium		< 0.3 mg/kg																																	
	Chromium		< 0.1 mg/kg																																	
	Selenium		< 1.0 mg/kg																																	
* NPD: No Performance Declared																																				
Signed for and behalf of the manufacturer or authorised representative by:																																				
29-Jan-20		Philippe Desart		Managing Director																																



# Declaration of Performance

DoP-CPR- 17-3448/2

<b>1. Unique identification code of the product, product type or product family:</b>						
<b>Collection:</b> Spectra		<b>Type:</b> 05				
<b>Designs:</b>		<b>References:</b>				
Carrelage		61510-61514				
<b>2. Identification of the product:</b>						
<b>Type, batch or serial number:</b>						
See packing label						
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>						
<b>4. Name and contact address of the manufacturer:</b>						
		Arte NV				
		Industriezone "De Waerde"				
		Senator A. Jeurissenlaan 1210				
		BE-3520 Zonhoven				
		T +32 (0) 11 81 93 00				
		F +32 (0) 11 81 93 01				
		info.belgium@arte-international.com				
<b>5. Name and contact address of authorised representative (distributor, importer):</b>						
Not applicable						
<b>6. System of assessment and verification of constancy of performance:</b>						
System 3						
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>						
Certification report Centexbel : 19/1091						
<b>8. Declared performance:</b>						
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	D-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD		
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg			
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury		< 0.1 mg/kg			
Selenium	< 1.0 mg/kg					
* NPD: No Performance Declared						
Signed for and behalf of the manufacturer or authorised representative by:						
29-Jan-20		Philippe Desart				
				Managing Director		