



# Declaration of Performance

DoP-CPR- 21-3709

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06  
 Designs:      References:  
 All'ombra dei cipressi      97500 - 97502

**2. Identification of the product:**

Type, batch or serial number:  
 See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):**

Not applicable

**6. System of assessment and verification of constancy of performance:**

System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Animony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3721

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06

Designs:      References:

Bird of paradise      97570 - 97572

**2. Identification of the product:**

Type, batch or serial number:

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):** Not applicable

**6. System of assessment and verification of constancy of performance:** System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

8. Declared performance:						
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3739

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06

Designs:      References:

Blooming pineapple      97600 - 97602

**2. Identification of the product:**

Type, batch or serial number:

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):** Not applicable

**6. System of assessment and verification of constancy of performance:** System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Chromium		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Cadmium		< 0.3 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3736

**1. Unique identification code of the product, product type or product family:**

**Collection:** DÉCORS & PANORAMIQUES      **Type:** 06

**Designs:**      **References:**

Hills of Sapa      97590 - 97591

**2. Identification of the product:**

**Type, batch or serial number:**

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**      Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):**      Not applicable

**6. System of assessment and verification of constancy of performance:**      System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

**Certification report Centexbel :**    19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3733

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06

Designs:      References:

Le jardin Mystique      97550 - 97551

**2. Identification of the product:**

Type, batch or serial number:

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):** Not applicable

**6. System of assessment and verification of constancy of performance:** System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Chromium		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Cadmium		< 0.3 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3712

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06  
 Designs:      References:  
 Les grenouilles de Chavroches      97510 - 97512

**2. Identification of the product:**

Type, batch or serial number:  
 See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):**

Not applicable

**6. System of assessment and verification of constancy of performance:**

System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing**

(based on sampling carried out by the manufacturer) and issued the test report(s):

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3730

**1. Unique identification code of the product, product type or product family:**

**Collection:** DÉCORS & PANORAMIQUES      **Type:** 06

**Designs:**      **References:**

Les mystères de Madagascar      97530 - 97531

**2. Identification of the product:**

**Type, batch or serial number:**

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**      Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):**      Not applicable

**6. System of assessment and verification of constancy of performance:**      System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

**Certification report Centexbel :**    19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury	< 0.1 mg/kg				
	Selenium	< 1.0 mg/kg				

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director







# Declaration of Performance

DoP-CPR- 21-3724

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06

Designs:      References:

Palafitas Amazonia      97580 - 97582

**2. Identification of the product:**

Type, batch or serial number:

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):** Not applicable

**6. System of assessment and verification of constancy of performance:** System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3718

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06

Designs:      References:

Pavartina      97560 - 97562

**2. Identification of the product:**

Type, batch or serial number:

See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):** Not applicable

**6. System of assessment and verification of constancy of performance:** System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director



# Declaration of Performance

DoP-CPR- 21-3715

**1. Unique identification code of the product, product type or product family:**

Collection: DÉCORS & PANORAMIQUES      Type: 06  
 Designs:      References:  
 Wonderwoods      97540 - 97541

**2. Identification of the product:**

Type, batch or serial number:  
 See packing label

**3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use**

**4. Name and contact address of the manufacturer:**

Arte NV  
 Industriezone "De Waerde"  
 Senator A. Jeurissenlaan 1210  
 BE-3520 Zonhoven  
 T +32 (0) 11 81 93 00  
 F +32 (0) 11 81 93 01  
 info.belgium@arte-international.com

**5. Name and contact address of authorised representative (distributor, importer):**

Not applicable

**6. System of assessment and verification of constancy of performance:**

System 3

**7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):**

Certification report Centexbel : 19/722

**8. Declared performance:**

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD	
Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD	
	Arcenic < 0.1 mg/kg				
	Barium < 0.1 mg/kg				
	Cadmium < 0.3 mg/kg				
	Chromium < 0.1 mg/kg				
	Lead < 0.5 mg/kg				
Mercury < 0.1 mg/kg					
Selenium < 1.0 mg/kg					

\* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

5-Feb-21

Philippe Desart

Managing Director