



Declaration of Performance

DoP-CPR- 15-3313/1

1. Unique identification code of the product, product type or product family:						
Collection: Eclipse Black & White Edition		Type: 04				
Designs:		References:				
Feuillage		43500-43501				
2. Identification of the product:						
Type, batch or serial number:						
See packing label						
3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use						
4. Name and contact address of the manufacturer:						
Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com						
5. Name and contact address of authorised representative (distributor, importer): Not applicable						
6. System of assessment and verification of constancy of performance: System 3						
7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):						
Certification report Centexbel : 19/211						
8. Declared performance:						
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	B-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg					
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
	Mercury		< 0.1 mg/kg			
Selenium	< 1.0 mg/kg					
* NPD: No Performance Declared						
Signed for and behalf of the manufacturer or authorised representative by:						
						
11-Apr-22		Philippe Desart		Managing Director		

Declaration of Performance

DoP-CPR- 15-3313/3

1. Unique identification code of the product, product type or product family:					
Collection: Eclipse Black & White Edition		Type: 04A			
Designs:			References:		
Caisson		43520 - 43521			
Charm		43540 - 43541			
2. Identification of the product:					
Type, batch or serial number:					
See packing label					
3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use					
4. Name and contact address of the manufacturer:					
Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com					
5. Name and contact address of authorised representative (distributor,importer): Not applicable					
6. System of assessment and verification of constancy of performance: System 3					
7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):					
Certification report Centexbel : 19/2193					
8. Declared performance:					
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1	C-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011
Release of formaldehyde EN 12149-C	< 120 mg / kg		Release of heavy metals (EN 12149-A)	NPD	
	Anitimony < 0.1 mg/kg		Sound absorption ISO 354	NPD	
	Arcenic < 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD	
	Barium < 0.1 mg/kg				
	Cadmium < 0.3 mg/kg				
	Chromium < 0.1 mg/kg				
	Lead < 0.5 mg/kg				
	Mercury < 0.1 mg/kg				
	Selenium < 1.0 mg/kg				
* NPD: No Performance Declared					
Signed for and behalf of the manufacturer or authorised representative by:					
					
11-Apr-22		Philippe Desart		Managing Director	

Declaration of Performance

DoP-CPR- 15-3313/2

1. Unique identification code of the product, product type or product family:

Collection: Eclipse Black & White Edition **Type:** 05

Designs: **References:**

Rosace, 43510-43511,
Flex 43530-43531,
Select 43550-43551

2. Identification of the product:

Type, batch or serial number:
See packing label

3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use

4. Name and contact address of the manufacturer: Arte NV
Industriezone "De Waerde"
Senator A. Jeurissenlaan 1210
BE-3520 Zonhoven
T +32 (0) 11 81 93 00
F +32 (0) 11 81 93 01
info.belgium@arte-international.com

5. Name and contact address of authorised representative (distributor, importer): Not applicable

6. System of assessment and verification of constancy of performance: System 3

7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):

Certification report Centexbel : 19/1091

8. Declared performance:

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1	D-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD	
Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD	
	Arcenic < 0.1 mg/kg				
	Barium < 0.1 mg/kg				
	Cadmium < 0.3 mg/kg				
	Chromium < 0.1 mg/kg				
	Selenium < 1.0 mg/kg				

* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:

