


Declaration of Performance

DoP-CPR- 19-3623 / 1

<p>1. Unique identification code of the product, product type or product family:</p> <p>Collection: EXPEDITION Type: 02</p> <p>Designs: Java References: 72010-72012</p>																																		
<p>2. Identification of the product:</p> <p>Type, batch or serial number: See packing label</p>																																		
<p>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</p>																																		
<p>4. Name and contact address of the manufacturer: Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com</p>																																		
<p>5. Name and contact address of authorised representative (distributor,importer): Not applicable</p>																																		
<p>6. System of assessment and verification of constancy of performance: System 3</p>																																		
<p>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</p> <p>Certification report Centexbel : 19/745</p>																																		
<p>8. Declared performance:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Essential Characteristic</th> <th style="width: 20%;">Performance</th> <th style="width: 10%;">Harmonised technical specification</th> <th style="width: 25%;">Essential Characteristic</th> <th style="width: 10%;">Performance</th> <th style="width: 10%;">Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td>B-S1,d0</td> <td rowspan="10" style="vertical-align: middle;">EN 15102:2007 A1:2011</td> <td>Release of vinyl chloride monomer EN 12149-B</td> <td>< 0.2 mg/kg</td> <td rowspan="6" style="vertical-align: middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td>< 120 mg / kg</td> <td rowspan="6" style="vertical-align: middle;">EN 12149-A)</td> <td>Sound absorption ISO 354</td> <td>NPD</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony < 0.1 mg/kg</td> <td rowspan="6" style="vertical-align: middle;">EN 12524" or "EN12667"</td> <td rowspan="6">Thermal resistance "EN 12524" or "EN12667"</td> <td rowspan="6">NPD</td> </tr> <tr> <td>Arcenic < 0.1 mg/kg</td> </tr> <tr> <td>Barium < 0.1 mg/kg</td> </tr> <tr> <td>Cadmium < 0.3 mg/kg</td> </tr> <tr> <td>Chromium < 0.1 mg/kg</td> </tr> <tr> <td>Lead < 0.5 mg/kg</td> </tr> <tr> <td>Mercury < 0.1 mg/kg</td> </tr> <tr> <td>Selenium < 1.0 mg/kg</td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	B-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	EN 12149-A)	Sound absorption ISO 354	NPD	Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg	EN 12524" or "EN12667"	Thermal resistance "EN 12524" or "EN12667"	NPD	Arcenic < 0.1 mg/kg	Barium < 0.1 mg/kg	Cadmium < 0.3 mg/kg	Chromium < 0.1 mg/kg	Lead < 0.5 mg/kg	Mercury < 0.1 mg/kg	Selenium < 1.0 mg/kg
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																													
Reaction to fire EN 13501-1	B-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																													
Release of formaldehyde EN 12149-C	< 120 mg / kg		EN 12149-A)	Sound absorption ISO 354		NPD																												
Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg			EN 12524" or "EN12667"		Thermal resistance "EN 12524" or "EN12667"	NPD																											
	Arcenic < 0.1 mg/kg																																	
	Barium < 0.1 mg/kg																																	
	Cadmium < 0.3 mg/kg																																	
	Chromium < 0.1 mg/kg																																	
	Lead < 0.5 mg/kg																																	
Mercury < 0.1 mg/kg																																		
Selenium < 1.0 mg/kg																																		
<p>* NPD: No Performance Declared</p>																																		
<p>Signed for and behalf of the manufacturer or authorised representative by:</p>																																		
<p>11-Apr-22</p>		<p>Philippe Desart</p>		<p>Managing Director</p>																														

Declaration of Performance

DoP-CPR- 19-3623 / 2

1. Unique identification code of the product, product type or product family: Collection: EXPEDITION Type: 03 Designs: References: Tasar 72020-72039 Sumatra 72040-72042 Eri 72050-72057																																																
2. Identification of the product: Type, batch or serial number: See packing label																																																
3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use																																																
4. Name and contact address of the manufacturer: <div style="float: right; text-align: right;"> Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com </div>																																																
5. Name and contact address of authorised representative (distributor, importer): Not applicable																																																
6. System of assessment and verification of constancy of performance: System 3																																																
7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s): Certification report Centexbel : 19/720																																																
8. Declared performance: <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width:25%;">Essential Characteristic</th> <th style="width:25%;">Performance</th> <th style="width:10%;">Harmonised technical specification</th> <th style="width:25%;">Essential Characteristic</th> <th style="width:10%;">Performance</th> <th style="width:15%;">Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td>B-S2,d0</td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1:2011</td> <td>Release of vinyl chloride monomer EN 12149-B</td> <td style="text-align: center;">< 0.2 mg/kg</td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td style="text-align: center;">< 120 mg / kg</td> <td>Sound absorption ISO 354</td> <td style="text-align: center;">NPD</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony < 0.1 mg/kg</td> <td>Thermal resistance "EN 12524" or "EN12667"</td> <td style="text-align: center;">NPD</td> </tr> <tr> <td>Arcenic < 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Barium < 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Cadmium < 0.3 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Chromium < 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Lead < 0.5 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Mercury < 0.1 mg/kg</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Selenium < 1.0 mg/kg</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	B-S2,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	Sound absorption ISO 354	NPD	Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Arcenic < 0.1 mg/kg			Barium < 0.1 mg/kg			Cadmium < 0.3 mg/kg			Chromium < 0.1 mg/kg			Lead < 0.5 mg/kg			Mercury < 0.1 mg/kg				Selenium < 1.0 mg/kg			
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																																											
Reaction to fire EN 13501-1	B-S2,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																																											
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD																																												
Release of heavy metals (EN 12149-A)	Anitimony < 0.1 mg/kg		Thermal resistance "EN 12524" or "EN12667"	NPD																																												
	Arcenic < 0.1 mg/kg																																															
	Barium < 0.1 mg/kg																																															
	Cadmium < 0.3 mg/kg																																															
	Chromium < 0.1 mg/kg																																															
	Lead < 0.5 mg/kg																																															
Mercury < 0.1 mg/kg																																																
Selenium < 1.0 mg/kg																																																
* NPD: No Performance Declared																																																
Signed for and behalf of the manufacturer or authorised representative by: <div style="text-align: right; margin-top: 20px;">  </div>																																																
11-Apr-22		Philippe Desart		Managing Director																																												

Declaration of Performance

DoP-CPR- 19-3623 / 3

1. Unique identification code of the product, product type or product family:

Collection: EXPEDITION **Type:** 06

Designs: Silk Road Garden **References:** 72000-72001

2. Identification of the product:

Type, batch or serial number:
See packing label

3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use

4. Name and contact address of the manufacturer:

Arte NV
Industriezone "De Waerde"
Senator A. Jeurissenlaan 1210
BE-3520 Zonhoven
T +32 (0) 11 81 93 00
F +32 (0) 11 81 93 01
info.belgium@arte-international.com

5. Name and contact address of authorised representative (distributor, importer): Not applicable

6. System of assessment and verification of constancy of performance: System 3

7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):

Certification report Centexbel : 19/722

8. Declared performance:

Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	B-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD		
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg			
	Chromium		< 0.1 mg/kg			
	Selenium		< 1.0 mg/kg			

* NPD: No Performance Declared

Signed for and behalf of the manufacturer or authorised representative by:



11-Apr-22

Philippe Desart

Managing Director