



# Declaration of Performance

DoP-CPR- 21-3752/1

<b>1. Unique identification code of the product, product type or product family:</b> <table style="width:100%; border:none;"> <tr> <td style="width:30%;"><b>Collection:</b> MOOOI SPRING 2021</td> <td style="width:30%;"><b>Type:</b> 04A</td> </tr> <tr> <td><b>Designs:</b></td> <td><b>References:</b></td> </tr> <tr> <td>Mimic Moth</td> <td>MO4000</td> </tr> </table>						<b>Collection:</b> MOOOI SPRING 2021	<b>Type:</b> 04A	<b>Designs:</b>	<b>References:</b>	Mimic Moth	MO4000																													
<b>Collection:</b> MOOOI SPRING 2021	<b>Type:</b> 04A																																							
<b>Designs:</b>	<b>References:</b>																																							
Mimic Moth	MO4000																																							
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label																																								
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>																																								
<b>4. Name and contact address of the manufacturer:</b> <table style="width:100%; border:none;"> <tr> <td style="width:50%;">Arte NV</td> <td style="width:50%;">Industriezone "De Waerde"</td> </tr> <tr> <td>Senator A. Jeurissenlaan 1210</td> <td>BE-3520 Zonhoven</td> </tr> <tr> <td>T +32 (0) 11 81 93 00</td> <td>F +32 (0) 11 81 93 01</td> </tr> <tr> <td colspan="2">info.belgium@arte-international.com</td> </tr> </table>						Arte NV	Industriezone "De Waerde"	Senator A. Jeurissenlaan 1210	BE-3520 Zonhoven	T +32 (0) 11 81 93 00	F +32 (0) 11 81 93 01	info.belgium@arte-international.com																												
Arte NV	Industriezone "De Waerde"																																							
Senator A. Jeurissenlaan 1210	BE-3520 Zonhoven																																							
T +32 (0) 11 81 93 00	F +32 (0) 11 81 93 01																																							
info.belgium@arte-international.com																																								
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable																																								
<b>6. System of assessment and verification of constancy of performance:</b> System 3																																								
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  Certification report Centexbel : 19/2193																																								
<b>8. Declared performance:</b> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:25%;">Essential Characteristic</th> <th style="width:25%;">Performance</th> <th style="width:10%;">Harmonised technical specification</th> <th style="width:25%;">Essential Characteristic</th> <th style="width:10%;">Performance</th> <th style="width:15%;">Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td>C-S1,d0</td> <td rowspan="8" style="text-align:center; vertical-align:middle;">EN 15102:2007 A1:2011</td> <td rowspan="2">Release of vinyl chloride monomer EN 12149-B</td> <td rowspan="2">&lt; 0.2 mg/kg</td> <td rowspan="8" style="text-align:center; vertical-align:middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td>&lt; 120 mg / kg</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony</td> <td>&lt; 0.1 mg/kg</td> <td rowspan="3">Sound absorption ISO 354</td> <td rowspan="3">NPD</td> </tr> <tr> <td>Arcenic</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Barium</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Cadmium</td> <td>&lt; 0.3 mg/kg</td> <td rowspan="3">Thermal resistance "EN 12524" or "EN12667"</td> <td rowspan="3">NPD</td> </tr> <tr> <td>Chromium</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Lead</td> <td>&lt; 0.5 mg/kg</td> </tr> <tr> <td>Mercury</td> <td>&lt; 0.1 mg/kg</td> </tr> <tr> <td>Selenium</td> <td>&lt; 1.0 mg/kg</td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	C-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	Release of heavy metals (EN 12149-A)	Anitimony	< 0.1 mg/kg	Sound absorption ISO 354	NPD	Arcenic	< 0.1 mg/kg	Barium	< 0.1 mg/kg	Cadmium	< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Chromium	< 0.1 mg/kg	Lead	< 0.5 mg/kg	Mercury	< 0.1 mg/kg	Selenium	< 1.0 mg/kg
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																																			
Reaction to fire EN 13501-1	C-S1,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																																			
Release of formaldehyde EN 12149-C	< 120 mg / kg																																							
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD																																		
	Arcenic		< 0.1 mg/kg																																					
	Barium		< 0.1 mg/kg																																					
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD																																		
	Chromium		< 0.1 mg/kg																																					
	Lead		< 0.5 mg/kg																																					
Mercury	< 0.1 mg/kg																																							
Selenium	< 1.0 mg/kg																																							
* NPD: No Performance Declared																																								
Signed for and behalf of the manufacturer or authorised representative by: <table style="width:100%; border:none; margin-top: 20px;"> <tr> <td style="width:30%;"></td> <td style="width:30%; text-align:center;"> </td> <td style="width:40%;"></td> </tr> <tr> <td style="text-align:center;">23-Jun-21</td> <td style="text-align:center;">Philippe Desart</td> <td style="text-align:center;">Managing Director</td> </tr> </table>									23-Jun-21	Philippe Desart	Managing Director																													
23-Jun-21	Philippe Desart	Managing Director																																						



# Declaration of Performance

DoP-CPR- 21-3752/2

<b>1. Unique identification code of the product, product type or product family:</b> <b>Collection:</b> MOOOI SPRING 2021 <b>Type:</b> 02  <b>Designs:</b> Queen Cobra <b>References:</b> MO4010						
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label						
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>						
<b>4. Name and contact address of the manufacturer:</b> Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com						
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable						
<b>6. System of assessment and verification of constancy of performance:</b> System 3						
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  <b>Certification report Centexbel :</b> 19/745						
<b>8. Declared performance:</b>						
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg		Release of heavy metals (EN 12149-A)	Sound absorption ISO 354		NPD
Anitimony	< 0.1 mg/kg			Thermal resistance "EN 12524" or "EN12667"		NPD
Arcenic	< 0.1 mg/kg					
Barium	< 0.1 mg/kg					
Cadmium	< 0.3 mg/kg					
Chromium	< 0.1 mg/kg					
Lead	< 0.5 mg/kg					
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					
* NPD: No Performance Declared						
Signed for and behalf of the manufacturer or authorised representative by:						
19-Aug-21		Philippe Desart		Managing Director		