


# Declaration of Performance

DoP-CPR- 18-3517/1

<b>1. Unique identification code of the product, product type or product family:</b> <b>Collection:</b> Takara <b>Type:</b> 01  <b>Designs:</b> <b>References:</b> Cobalt 25023, 25025-25029 Pyxis 38000,38006,38009,38011,38012																																								
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label																																								
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>																																								
<b>4. Name and contact address of the manufacturer:</b> <div style="float: right; text-align: right;">                     Arte NV                      Industriezone "De Waerde"                      Senator A. Jeurissenlaan 1210                      BE-3520 Zonhoven                      T +32 (0) 11 81 93 00                      F +32 (0) 11 81 93 01                      info.belgium@arte-international.com                 </div>																																								
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable																																								
<b>6. System of assessment and verification of constancy of performance:</b> System 3																																								
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  Certification report Centexbel : 19/745																																								
<b>8. Declared performance:</b> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width:25%;">Essential Characteristic</th> <th style="width:25%;">Performance</th> <th style="width:10%;">Harmonised technical specification</th> <th style="width:25%;">Essential Characteristic</th> <th style="width:10%;">Performance</th> <th style="width:15%;">Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td><b>B-S1,d0</b></td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1:2011</td> <td>Release of vinyl chloride monomer EN 12149-B</td> <td style="text-align: center;">&lt; 0.2 mg/kg</td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td style="text-align: center;">&lt; 120 mg / kg</td> <td>Sound absorption ISO 354</td> <td style="text-align: center;">NPD</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td rowspan="6">Thermal resistance "EN 12524" or "EN12667"</td> <td style="text-align: center;">NPD</td> </tr> <tr> <td>Arcenic</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Barium</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Cadmium</td> <td style="text-align: center;">&lt; 0.3 mg/kg</td> </tr> <tr> <td>Chromium</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Lead</td> <td style="text-align: center;">&lt; 0.5 mg/kg</td> </tr> <tr> <td>Mercury</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Selenium</td> <td style="text-align: center;">&lt; 1.0 mg/kg</td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	Sound absorption ISO 354	NPD	Release of heavy metals (EN 12149-A)	Anitimony	< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Arcenic	< 0.1 mg/kg	Barium	< 0.1 mg/kg	Cadmium	< 0.3 mg/kg	Chromium	< 0.1 mg/kg	Lead	< 0.5 mg/kg	Mercury	< 0.1 mg/kg	Selenium	< 1.0 mg/kg
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																																			
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																																			
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD																																				
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD																																		
	Arcenic		< 0.1 mg/kg																																					
	Barium		< 0.1 mg/kg																																					
	Cadmium		< 0.3 mg/kg																																					
	Chromium		< 0.1 mg/kg																																					
	Lead		< 0.5 mg/kg																																					
Mercury	< 0.1 mg/kg																																							
Selenium	< 1.0 mg/kg																																							
* NPD: No Performance Declared																																								
Signed for and behalf of the manufacturer or authorised representative by: <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                     11-Apr-22                 </div> <div style="text-align: center;">                     Philippe Desart                 </div> <div style="text-align: center;">                       Managing Director                 </div> </div>																																								


# Declaration of Performance

DoP-CPR- 18-3517/2

<b>1. Unique identification code of the product, product type or product family:</b> <b>Collection:</b> Takara <b>Type:</b> 02  <b>Designs:</b> Harmony 28520-28526 Spirit 28540-28543 Air 28550-28552 Feather 28560-28562						
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label						
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>						
<b>4. Name and contact address of the manufacturer:</b> Arte NV Industriezone "De Waerde" Senator A. Jeurissenlaan 1210 BE-3520 Zonhoven T +32 (0) 11 81 93 00 F +32 (0) 11 81 93 01 info.belgium@arte-international.com						
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable						
<b>6. System of assessment and verification of constancy of performance:</b> System 3						
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  Certification report Centexbel : 19/745						
<b>8. Declared performance:</b>						
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	NPD		
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD
	Arcenic		< 0.1 mg/kg			
	Barium		< 0.1 mg/kg			
	Cadmium		< 0.3 mg/kg			
	Chromium		< 0.1 mg/kg			
	Lead		< 0.5 mg/kg			
Mercury	< 0.1 mg/kg					
Selenium	< 1.0 mg/kg					
* NPD: No Performance Declared						
Signed for and behalf of the manufacturer or authorised representative by:						
11-Apr-22		Philippe Desart		 Managing Director		


# Declaration of Performance

DoP-CPR- 18-3517/3

<b>1. Unique identification code of the product, product type or product family:</b> <b>Collection:</b> Takara <b>Type:</b> 06 <b>Designs:</b> <b>References:</b> Noble 28510-28517																																																				
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label																																																				
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>																																																				
<b>4. Name and contact address of the manufacturer:</b> <div style="float: right; text-align: right;">                     Arte NV                      Industriezone "De Waerde"                      Senator A. Jeurissenlaan 1210                      BE-3520 Zonhoven                      T +32 (0) 11 81 93 00                      F +32 (0) 11 81 93 01                      info.belgium@arte-international.com                 </div>																																																				
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable																																																				
<b>6. System of assessment and verification of constancy of performance:</b> System 3																																																				
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  Certification report Centexbel : 19/722																																																				
<b>8. Declared performance:</b> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width:25%;">Essential Characteristic</th> <th style="width:25%;">Performance</th> <th style="width:10%;">Harmonised technical specification</th> <th style="width:25%;">Essential Characteristic</th> <th style="width:10%;">Performance</th> <th style="width:15%;">Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td><b>B-S1,d0</b></td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1:2011</td> <td>Release of vinyl chloride monomer EN 12149-B</td> <td style="text-align: center;">&lt; 0.2 mg/kg</td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td style="text-align: center;">&lt; 120 mg / kg</td> <td></td> <td style="text-align: center;">&lt; 0.2 mg/kg</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td rowspan="3">Sound absorption ISO 354</td> <td style="text-align: center;">NPD</td> </tr> <tr> <td>Arcenic</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td rowspan="3">Thermal resistance "EN 12524" or "EN12667"</td> <td style="text-align: center;">NPD</td> </tr> <tr> <td>Barium</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td></td> </tr> <tr> <td>Cadmium</td> <td style="text-align: center;">&lt; 0.3 mg/kg</td> <td></td> </tr> <tr> <td>Chromium</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Lead</td> <td style="text-align: center;">&lt; 0.5 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Mercury</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Selenium</td> <td style="text-align: center;">&lt; 1.0 mg/kg</td> <td></td> <td></td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg		< 0.2 mg/kg	Release of heavy metals (EN 12149-A)	Anitimony	< 0.1 mg/kg	Sound absorption ISO 354	NPD	Arcenic	< 0.1 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Barium	< 0.1 mg/kg		Cadmium	< 0.3 mg/kg		Chromium	< 0.1 mg/kg			Lead	< 0.5 mg/kg			Mercury	< 0.1 mg/kg			Selenium	< 1.0 mg/kg		
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																																															
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																																															
Release of formaldehyde EN 12149-C	< 120 mg / kg			< 0.2 mg/kg																																																
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD																																														
	Arcenic		< 0.1 mg/kg			Thermal resistance "EN 12524" or "EN12667"	NPD																																													
	Barium		< 0.1 mg/kg																																																	
	Cadmium		< 0.3 mg/kg																																																	
	Chromium		< 0.1 mg/kg																																																	
	Lead		< 0.5 mg/kg																																																	
Mercury	< 0.1 mg/kg																																																			
Selenium	< 1.0 mg/kg																																																			
* NPD: No Performance Declared																																																				
Signed for and behalf of the manufacturer or authorised representative by: <div style="text-align: right; margin-top: 20px;">  </div>																																																				
11-Apr-22		Philippe Desart		Managing Director																																																

# Declaration of Performance

DoP-CPR- 18-3517/4

<b>1. Unique identification code of the product, product type or product family:</b> <b>Collection:</b> Takara <b>Type:</b> 06C <b>Designs:</b> <b>References:</b> Crane 28500-28502																																												
<b>2. Identification of the product:</b> <b>Type, batch or serial number:</b> See packing label																																												
<b>3. The product(s) are intended for use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011: Wallcovering for decorative use</b>																																												
<b>4. Name and contact address of the manufacturer:</b> <div style="float: right; text-align: right;">                     Arte NV                      Industriezone "De Waerde"                      Senator A. Jeurissenlaan 1210                      BE-3520 Zonhoven                      T +32 (0) 11 81 93 00                      F +32 (0) 11 81 93 01                      info.belgium@arte-international.com                 </div>																																												
<b>5. Name and contact address of authorised representative (distributor, importer):</b> Not applicable																																												
<b>6. System of assessment and verification of constancy of performance:</b> System 3																																												
<b>7. Notified testing laboratory Centexbel performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test report(s):</b>  Certification report Centexbel : 19/745																																												
<b>8. Declared performance:</b> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width:25%;">Essential Characteristic</th> <th style="width:25%;">Performance</th> <th style="width:10%;">Harmonised technical specification</th> <th style="width:25%;">Essential Characteristic</th> <th style="width:10%;">Performance</th> <th style="width:15%;">Harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td>Reaction to fire EN 13501-1</td> <td><b>B-S1,d0</b></td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1:2011</td> <td rowspan="2">Release of vinyl chloride monomer EN 12149-B</td> <td rowspan="2" style="text-align: center; vertical-align: middle;">&lt; 0.2 mg/kg</td> <td rowspan="8" style="text-align: center; vertical-align: middle;">EN 15102:2007 A1: 2011</td> </tr> <tr> <td>Release of formaldehyde EN 12149-C</td> <td style="text-align: center;">&lt; 120 mg / kg</td> </tr> <tr> <td rowspan="6">Release of heavy metals (EN 12149-A)</td> <td>Anitimony</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td rowspan="3">Sound absorption ISO 354</td> <td rowspan="3" style="text-align: center; vertical-align: middle;">NPD</td> </tr> <tr> <td>Arcenic</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Barium</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Cadmium</td> <td style="text-align: center;">&lt; 0.3 mg/kg</td> <td rowspan="3">Thermal resistance "EN 12524" or "EN12667"</td> <td rowspan="3" style="text-align: center; vertical-align: middle;">NPD</td> </tr> <tr> <td>Chromium</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> </tr> <tr> <td>Lead</td> <td style="text-align: center;">&lt; 0.5 mg/kg</td> </tr> <tr> <td>Mercury</td> <td style="text-align: center;">&lt; 0.1 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Selenium</td> <td style="text-align: center;">&lt; 1.0 mg/kg</td> <td></td> <td></td> </tr> </tbody> </table>						Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification	Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011	Release of formaldehyde EN 12149-C	< 120 mg / kg	Release of heavy metals (EN 12149-A)	Anitimony	< 0.1 mg/kg	Sound absorption ISO 354	NPD	Arcenic	< 0.1 mg/kg	Barium	< 0.1 mg/kg	Cadmium	< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"	NPD	Chromium	< 0.1 mg/kg	Lead	< 0.5 mg/kg	Mercury	< 0.1 mg/kg			Selenium	< 1.0 mg/kg		
Essential Characteristic	Performance	Harmonised technical specification	Essential Characteristic	Performance	Harmonised technical specification																																							
Reaction to fire EN 13501-1	<b>B-S1,d0</b>	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg/kg	EN 15102:2007 A1: 2011																																							
Release of formaldehyde EN 12149-C	< 120 mg / kg																																											
Release of heavy metals (EN 12149-A)	Anitimony		< 0.1 mg/kg	Sound absorption ISO 354		NPD																																						
	Arcenic		< 0.1 mg/kg																																									
	Barium		< 0.1 mg/kg																																									
	Cadmium		< 0.3 mg/kg	Thermal resistance "EN 12524" or "EN12667"		NPD																																						
	Chromium		< 0.1 mg/kg																																									
	Lead		< 0.5 mg/kg																																									
Mercury	< 0.1 mg/kg																																											
Selenium	< 1.0 mg/kg																																											
* NPD: No Performance Declared																																												
Signed for and behalf of the manufacturer or authorised representative by: <div style="text-align: right; margin-top: 20px;">  </div>																																												
11-Apr-22		Philippe Desart		Managing Director																																								